

FIG. 1




FIG. 2




FIG. 3

```

> BASH BUILD.SH > BUILD_OUTPUT.TXT
52 → CD MY_SRC
54 → SETENV COMPANYX_LIB ...
56 → MAKE
    {
    MAKING IN DIRECTORY "MY_SRC"
    GCC A.C
    GCC B.C
    GCC C.C
    ENTERING DIRECTORY "SUBDIR2"
    MAKING IN DIRECTORY "SUBDIR2"
    ...
    LEAVING DIRECTORY "SUBDIR2"
    }
58 →
60 → CD ../TP_SRC
62 → SETENV TP_LIB
64 → MAKE
    {
    MAKING IN DIRECTORY "TP_SRC"
    G++ D.CC
    G++ C.CC
    LEAVING DIRECTORY "SUBDIR1"
    }
66 →
68 → CD ../OTHER_SRC
70 → PERL BUILD_OTHER.PL
    {
    BUILDING IN DIRECTORY "OTHER_SRC"
    READING CONFIG FILE "CONFIG.TXT"
    COMPILING...
    JAVAC A.JAVA
    JIKES B.JAVA
    GCJ C.JAVA
    }
72 →
74 → ALL DONE

```

FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8